

# SAFETY COVER MEASURING FORM

## DISTRIBUTOR INFORMATION

COMPANY NAME: \_\_\_\_\_  
ADDRESS: \_\_\_\_\_  
CITY: \_\_\_\_\_ STATE: \_\_\_\_\_ ZIP: \_\_\_\_\_  
CONTACT: \_\_\_\_\_  
PHONE: \_\_\_\_\_ FAX: \_\_\_\_\_  
JOB TAG NAME: \_\_\_\_\_

## DEALER INFORMATION

COMPANY NAME: \_\_\_\_\_  
ADDRESS: \_\_\_\_\_  
CITY: \_\_\_\_\_ STATE: \_\_\_\_\_ ZIP: \_\_\_\_\_  
CONTACT: \_\_\_\_\_  
PHONE: \_\_\_\_\_ FAX: \_\_\_\_\_

COVER SPECIFICATIONS:  SECUR-A-POOL® MESH  PROMESH®  SECUR&CLEAN® SOLID  HYPERLITE® (AVAILABLE ONLY IN GREEN)  
DRAIN TYPE:  KLEEN-SCREEN™  SURE-FLO (FULL LENGTH DRAIN)  PUMP IN LIEU OF DRAIN  
COLOR:  BLUE  GREEN  
ANCHORING SYSTEM:  CONCRETE  WOOD DECK  LAWN TUBES DECK MATERIAL: \_\_\_\_\_

## PLEASE ANSWER QUESTIONS BELOW

- Yes  No **Do you want perimeter padding?** \_\_\_\_\_ (Recommended for rough or raised coping)
- Yes  No **Are there any non-removable ladders, handrails, grab rails or fill spots?**  
*If yes, please indicate exact location on measuring form. What is distance rails extend into pool?* \_\_\_\_\_
- Yes  No **Are there any slide legs within 3-ft from the pools edge?** \_\_\_\_\_  
*If yes, please indicate exact location on measuring form.*
- Yes  No **Is there a dive stand within 3-ft from the pools edge?**  
*If yes, what is the distance from the pool edge to diving board stand?* \_\_\_\_\_  
*What is the width of the stand?* \_\_\_\_\_
- Yes  No **Are there any grab rocks or dive rocks?**  
*If yes, photos and A-B measurements are required.*  
*(A-B measurements should be taken in 12" increments around rock formations.)*
- Yes  No **Is there a spa? If yes, photos and A-B measurements are required.**  
*Is a cover required for the spa?*  Yes  No *If yes, separate or attached to pool cover?* \_\_\_\_\_  
*Is the spa raised above the deck level?*  Yes  No *If yes, how high?* \_\_\_\_\_  
*Is the spa dividing wall flush with the coping?*  Yes  No *What is the width of the diving wall?* \_\_\_\_\_  
*Does the spa have a spillway?*  Yes  No *(Spillways must be padded)*  
*If yes, please indicate exact location with A-B measurements.*
- Yes  No **Is there a planter or grass area? If yes, photos and A-B measurements are required.**  
*What is the width of the deck in this area?* \_\_\_\_\_
- Yes  No **Is there a raised deck area, raised bond beam, raised walls, raised rock formations or waterfalls?**  
*If yes, photos and A-B measurements are required.*  
*Measure all points along raised area at same level as pool coping. (If rock formation or tight radius, measure 12" increments)*  
*Be sure to indicate starting point and stopping point for the raised deck area on your A-B measurements.*  
*How high is the deck raised from the coping level?* \_\_\_\_\_  
*Can the raised deck wall be drilled into to hold wall anchors?* \_\_\_\_\_  
*What type of material is the wall face?* \_\_\_\_\_
- Yes  No **Are there any special design instructions? Please specify** \_\_\_\_\_

# MEASURING INSTRUCTIONS

## STEP 1

Sketch the inside dimensions of the pool (see example) on the next page. Include all non-removable details within four (4) feet of the water line, i.e. coping (width), rocks, grab rails, waterfalls, spas, ladders, raised walls, uneven decks, planters, etc.

## STEP 2

Using chalk, establish two points A and B (see example). The distance between them should be roughly 2/3 the length of the pool. (i.e. if the pool is 30 ft., make A-B line 20 ft. BE SURE TO INDICATE DISTANCE BETWEEN A & B AND SHOW LOCATION ON DRAWING. Make certain that the imaginary line between A and B and any extensions of it are at least three feet from the pools edge.

## STEP 3


Make a chalk mark (number each mark) at roughly three (3) foot intervals around the entire pool. Be certain to number all corners, rail locations (front and back of rails), fill spouts, or other obstructions if they are not removable. Mark all points along spa side and pool side of diving wall. Mark areas at one (1) foot intervals when tight radius, rocks, raised walls, waterfalls, or similar obstructions are encountered. Diagrams with these types of obstructions should be accompanied by a photograph. Include width of spa wall or distance between spa and pool, if separate.

## STEP 4

Attach a tape measure to point A. (Pull tape tightly on each measurement). Now measure distance from point A to point 1, then point A to point 2, and so on. List measurements in corresponding columns on the next page (see example). Move tape to point B, and measure in the same fashion; point B to point 1, and so on.

## STEP 5

Pick two (2) numbered points representing the overall length of the pool at the water line (see example). List this measurement. Do the same for the overall width of the pool. These measurements are crucial as they act as check points to ensure all other measurements are correct.



FOR QUESTIONS ABOUT MEASURING, PLEASE CALL OUR CUSTOMER SERVICE DEPARTMENT AT 800-448-2343.

DRAW POOL BELOW, CAREFULLY FOLLOWING THE INSTRUCTIONS ON THE PREVIOUS PAGE.

MAKE OF POOL: \_\_\_\_\_

DIG PRINT # IF AVAILABLE: \_\_\_\_\_

POINT A TO POINT B DISTANCE: \_\_\_\_\_

FILL IN DISTANCES IN THE BELOW COLUMNS (SEE STEP 4 ON PREVIOUS PAGE)

Point A to Point B \_\_\_\_\_ Overall length \_\_\_\_\_ Point # \_\_\_\_\_ to Point # \_\_\_\_\_  
 Overall width \_\_\_\_\_ Point # \_\_\_\_\_ to Point # \_\_\_\_\_

	A	B
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		
15		

	A	B
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		
29		
30		

	A	B
31		
32		
33		
34		
35		
36		
37		
38		
39		
40		
41		
42		
43		
44		
45		

	A	B
46		
47		
48		
49		
50		
51		
52		
53		
54		
55		
56		
57		
58		
59		
60		

# CUSTOM RECTANGLE COVERS

## DISTRIBUTOR INFORMATION

COMPANY NAME: \_\_\_\_\_  
 ADDRESS: \_\_\_\_\_  
 CITY: \_\_\_\_\_ STATE: \_\_\_\_\_ ZIP: \_\_\_\_\_  
 CONTACT: \_\_\_\_\_  
 PHONE: \_\_\_\_\_ FAX: \_\_\_\_\_  
 JOB TAG NAME: \_\_\_\_\_

## DEALER INFORMATION

COMPANY NAME: \_\_\_\_\_  
 ADDRESS: \_\_\_\_\_  
 CITY: \_\_\_\_\_ STATE: \_\_\_\_\_ ZIP: \_\_\_\_\_  
 CONTACT: \_\_\_\_\_  
 PHONE: \_\_\_\_\_ FAX: \_\_\_\_\_

IF YOUR POOL IS NOT PICTURED BELOW, PLEASE COMPLETE CUSTOM A - B MEASURING FORM.\*

- COVER SPECIFICATIONS:  MESH  PROMESH®  SOLID  HYPERLITE® (AVAILABLE ONLY IN GREEN)
- DRAIN TYPE:  KLEEN-SCREEN™  SURE-FLO (FULL LENGTH DRAIN)  PUMP IN LIEU OF DRAIN
- STRAP SPAACING :  5-FT. (STANDARD)  3-FT. (RECOMMENDED ON COVERS OVER 2000 SQ. FT)
- COLOR:  BLUE  GREEN (HYPERLITE® AVAILABLE IN GREEN ONLY!)
- ANCHORING SYSTEM:  CONCRETE  WOOD DECK  LAWN TUBES
- DECK MATERIAL: \_\_\_\_\_
- COPING MATERIAL: \_\_\_\_\_
- CUTOUTS  IF YOU HAVE CUTOUTS, PLEASE DRAW POOL IN BOX WITH MEASUREMENTS OF CUTOUT LOCATION.
- STEP LOCATION:  CENTER SHALLOW STEP  OTHER LOCATION (PLEASE MARK IN DRAWING)
- CORNER TYPE?  SQUARE  DIAGONAL \_\_\_\_\_ INCHES  RADIUS \_\_\_\_\_ INCHES



	A	B	C	D	E	F	G	H	I	J	K	L
RECTANGLE			XXXX	XXXX	XXXX	XXXX	XXXX	XXXX	XXXX	XXXX	XXXX	XXXX
GRECIAN											XXXX	XXXX
OVAL				XXXX	XXXX	XXXX	XXXX	XXXX	XXXX	XXXX	XXXX	XXXX
ROMAN												
LAZY-L												
TRUE-L							XXXX	XXXX	XXXX	XXXX	XXXX	XXXX

